	Application No.	Applicant(s)
	10/664,960	YAMAGUCHI ET AL.
Notice of Allowability	Examiner	Art Unit
	Quana Grainger	2852
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to 10-29-2004.		
2. ☑ The allowed claim(s) is/are <u>4-11 and 15-24</u> .		
3. $igotimes$ The drawings filed on <u>22 September 2003</u> are accepted by	the Examiner.	
4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the standard Examiner's comment regarding REQUIREMENT attached Examiner's comment regarding REQUIREMENT.	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application. iitted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawin he header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL r	national stage application from the complying with the requirements. SS AMENDMENT or NOTICE OF ation is deficient. 948) attached Office action of ags in the front (not the back) of id). must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 98), 7. ☑ Examiner's Amendr	te
	X-	Quana Grainger Primary Examiner Art Unit: 2852

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Wyannisky on 12-6-2004.

The application has been amended as follows:

In claim 8,

Line 5, after "each other", insert - - is H2 - - and delete "said developer carrying screw satisfies:"

Line 6, delete "H2," and after ½, insert - - is satisfied - -.

In claim 9,

Line 2, delete "said developer carrying screw further satisfies".

Line 3, after ½, insert - - is satisfied - -.

In claim 17,

Line 4, after "blade", insert - - is H2 - - and delete "each of said plurality of developer"

Line 5, delete in its entirety

Line 6, delete "H2," and after ½, insert - - is satisfied - -.

Application/Control Number: 10/664,960

Page 3

Art Unit: 2852

In claim 20,

Line 5, after "other", insert - - is H3 - -.

Line 6, change "H2, H2" to -- H3 - - and after ½, insert -- is satisfied --.

Contact Information

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quana Grainger whose telephone number is 571-272-2135. The examiner can normally be reached on M-F 7-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur Grimley can be reached on 571-272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Quana Grainger Primary Examiner

Art Unit 2852